



Scientific-Extensional Article

Application of the One Health Approach to Reduce Antimicrobial Resistance in Bovine Mastitis

Farzad Ghafouri^{1,2,†}, Masoumeh Naserkheil^{3,†}, Mostafa Sadeghi^{1,*}, Seyed Reza Miraei-Ashtiani¹, John P. Kastelic⁴, Herman W. Barkema⁴, Vahid Razban² and Masoud Shirali^{2,5,*}

¹Department of Animal Science, University College of Agriculture and Natural Resources, University of Tehran, Karaj 77871-31587, Iran.

²Agri-Food and Biosciences Institute (AFBI), Hillsborough, BT26 6DR, Northern Ireland, UK.

³Animal Genetics and Breeding Division, Animal Science Research Institute of Iran, Agriculture Research, Education, and Extension Organization, Karaj 31466-18361, Iran.

⁴Faculty of Veterinary Medicine, University of Calgary, Calgary, AB T2N 4N1, Canada.

⁵School of Biological Sciences, Queen's University Belfast, Belfast, BT9 5AJ, Northern Ireland, UK.

[†]These authors have contributed equally to this work.

<https://doi.org/10.22059/domesticj.2025.401425.1217>

Abstract

Bovine mastitis continues to be an important issue for the dairy sector, worsened by the increasing threat of antimicrobial resistance (AMR), which threatens animal welfare, public health, and environmental sustainability. This manuscript highlights bovine mastitis, particularly recent developments in diagnostic techniques and use of the One Health approach to address AMR in management of this disease. The One Health framework highlights the interdependence of human, animal, and environmental health, promoting collaboration among veterinarians, farmers, public health officials, and environmental and social scientists to formulate integrated strategies. Presently, mastitis treatment predominantly depends on antimicrobials; however, their widespread use (and abuse) has hastened the rise of resistant bacterial strains, complicating treatment and heightening public health risks through dissemination of antimicrobial residues and resistant pathogens via milk, meat, and environmental pathways. In this review, we emphasize mechanisms of AMR gene transfer and stress the necessity of selective antimicrobial use for clinical mastitis and dry cow therapy, as well as prevention of transmission and enhanced diagnostics. Economic and environmental repercussions of AMR are considerable, requiring coordinated efforts to monitor resistance trends, educate stakeholders, and eliminate non-therapeutic antimicrobial use in livestock. The One Health approach facilitates interdisciplinary collaboration that is crucial for sustainable mastitis control, prevention of zoonotic diseases, and protection of global food security. In summary, integration of advanced diagnostics, responsible antimicrobial stewardship, and the One Health framework is a promising route to alleviate challenges posed by mastitis and AMR. This comprehensive strategy is essential for safeguarding livestock productivity, human health, and environmental integrity, ultimately ensuring resilient and sustainable dairy production systems on a global scale.

Keyword(s): Antimicrobial resistance, Dairy cattle, Mastitis, One Health, Strategies



*Corresponding Authors E-mail: sadeghimos@ut.ac.ir and masoud.shirali@afbini.gov.uk

Section: Animal Breeding and Genetics

Associate Editor: Dr. Arash Javanmard

Received: 27 Aug 2025

Revised: 11 Sep 2025

Accepted: 12 Sep 2025

Published online: 01 Dec 2025

Citation: Ghafouri, F., Naserkheil, M., Sadeghi, M., Miraei-Ashtiani, S. R., Kastelic, J. P., Barkema, H. W., Razban, V., Shirali, M. Application of the One Health Approach to Reduce Antimicrobial Resistance in Bovine Mastitis. *Professional Journal of Domestic*, 2025; 25(3): 6-12.

Introduction

Despite efforts to prevent and control bovine mastitis, it remains an important challenge. Furthermore, mastitis-causing bacteria are a public health concern regarding transmission from cattle to humans (Naserkheil et al., 2022). The primary route of transmission to humans is most likely the environment, i.e., run-off and the use of cattle excreta to fertilize fields. Transmission via milk or meat is possible but largely eliminated by pasteurization and cooking.

Transmission of pathogens from animals to humans through the environment highlights the importance of the One Health concept, which emphasizes the interconnectedness of human, animal, and environmental health (Collignon, 2012; Manyi-Loh et al., 2016; Dong et al., 2022). Thus, there is a need for novel, innovative, and integrated strategies using a One Health approach to combat antimicrobial resistance (AMR) in mastitis management (Anholt and Barkema, 2021).

The One Health approach recognizes the interconnectedness of human, animal, and environmental health and aims to address health issues through a collaborative, transdisciplinary approach. For bovine mastitis, this would involve collaboration among veterinarians, dairy farmers, public health officials, and social and environmental scientists to develop effective strategies for preventing and treating the disease and minimizing AMR (Robinson et al., 2016). The escalating problem of AMR is exacerbated by widespread antimicrobial use (AMU). Between 2000 and 2015, there was a 65% global increase in consumption of antimicrobials (total of 34.8 billion tons). Globally, 73% of this use was in animals, with many antimicrobials used in both animals and humans, underscoring a vital area of concern (Pires et al., 2024).

The World Health Organization (WHO) has stated that "any successful strategy to combat AMR must include actions that address the animal and environmental reservoirs of resistant microorganisms." AMR is a growing concern in management of bovine mastitis (World Health Organization, 2014; Solomon and Oliver, 2014). Antimicrobial use in the dairy industry has contributed to development of AMR, particularly in low- and middle-income countries. Therefore, novel strategies are being formulated, including selective dry cow therapy and selective treatment of clinical mastitis, to diminish AMU. Alternative therapies, e.g., nanoparticles and bacteriophages, are also being investigated. Improved waste management is essential for reducing environmental dissemination of antimicrobial substances and bacteria, particularly those with genes for AMR. Therefore, a One Health approach is needed to minimize AMU, while ensuring appropriate treatment of mastitis cases. Alternative mastitis prevention and control, precision mastitis management, integrated management, and selective use of

antimicrobials are promising strategies to enhance bovine mastitis and reduce AMR (Velazquez-Meza et al., 2022; Pires et al., 2024; Ala'a et al., 2025). Further research and evaluation are needed to optimize their effectiveness and ensure long-term sustainability. This manuscript is an overview of bovine mastitis, advances in mastitis diagnostic methods, and applying a One Health approach to decrease AMR in bovine mastitis.

Impact of Factors Other Than Pathogens on Bovine Mastitis

1. Purpose and Use of Antimicrobials in Managing Bovine Mastitis

Antimicrobials are used to control intramammary infections in lactating and non-lactating cattle (Zduńczyk and Janowski, 2020), accounting for 60–70% of antimicrobial use in dairy cattle (Stevens et al., 2016; Stanek et al., 2024). Ideally, bacterial isolation and antimicrobial sensitivity should be done before treatment. Common antibiotics for bovine mastitis include β -lactams and macrolides, e.g., penicillin G and erythromycin, respectively (Nader-Macías et al., 2011). Antimicrobial functions have five main mechanisms: inhibition of cell wall synthesis, suppression of nucleic acid synthesis, repression of ribosome function, alteration of cell membrane function, and inhibition of folate metabolism (Dowling et al., 2017). As antimicrobial residues have been detected in animal products, including meat and milk, appropriate withdrawal periods should be enforced prior to sale of milk or meat (Paramasivam et al., 2023).

2. Emergence and Threat of AMR

Excessive use of antimicrobials has promoted emergence of AMR. Antimicrobials are used to treat and prevent animal and crop diseases and AMR is an important challenge in management of microbial infections in food production and treatment of human diseases (Kapoor et al., 2017). AMR poses an imminent threat to animal and human health, as bacterial infections are becoming more difficult to manage (Prestinaci et al., 2015). One of the most important consequences of AMR is poor response to standard treatments; it is predicted that >10 million human deaths from bacterial infections alone will occur by 2050 (de Kraker et al., 2016).

3. Mechanisms and Spread of Antimicrobial Resistance Genes (ARGs)

AMR genes (ARGs) are often on plasmids, transposons, and integrons and can be transferred horizontally between bacteria by conjugation, transformation, or transduction. Most ARGs destroy the antibiotic and do not alter the target site (Brüssow et al., 2004; Ibrahim et al., 2019). In some countries, >50% of mastitis pathogens are resistant to at least some antimicrobials, e.g., β -lactams or penicillin (Jamali et al., 2014). *Sul1* and *sul2* genes are the most

important ARGs in isolates from bovine mastitis (Keane, 2016; Alawneh et al., 2020; Nobrega et al., 2021).

4. Public Health Risks of Antimicrobial Residues in Livestock Products

Livestock products containing antibiotics, especially milk, can cause allergic reactions, alter intestinal microbial composition, and promote emergence of AMR strains in animals and humans (Kassa et al., 1999; Enshaie et al., 2025). As pathogens causing diseases like bovine mastitis have developed AMR, the WHO has published guidelines limiting use of antimicrobials for application in livestock farming (Aidara-Kane et al., 2018). Furthermore, it has been recommended to isolate cattle treated with antimicrobials from other animals and discard their milk (Virdis et al., 2010; Shamila-Syuhada et al., 2016). Additionally, milk should be pasteurized before consumption (World Health Organization, 2020). As dairy farmers and their families are in close contact with their cows and with their pathogens, AMR is a concern for dairy farmers and their families (Werner et al., 2023).

5. Economic and Environmental Challenges of AMR

The impact of AMR is considered an externality, as it is unlikely to affect antimicrobial suppliers or consumers directly, although it can affect livestock and human welfare (Kaier and Frank, 2010). It is difficult to measure the economic burden of AMR (Howard et al., 2001; Reynolds et al., 2014; Naylor et al., 2019; Jit et al., 2020). Governments often underestimate impacts of AMR on environmental, animal, and human health, leading to insufficient investments in investigation and mitigation (Smith et al., 2006). Regardless, measures required for public health and defining strategies to deal with AMR are trivial compared to future economic challenges (Coast et al., 1996; Salam et al., 2023).

6. Strategies to Combat AMR in Livestock

Pharmacists, veterinarians, health professionals, policymakers, producers, and the general public must consider appropriate use of available antimicrobials, as well as production of new antimicrobials, as a potential strategy to address AMR, implemented through several steps.

First, it is essential to identify and produce new antimicrobials; however, that is unlikely, as development costs are very high, and treatments for cancer or neurological disorders are more profitable. Secondly, it is crucial to monitor AMR patterns of bacteria, increase accredited laboratories, and use a nationwide evaluation and control system that records veterinary antibiotic use, resistance, and residues. Thirdly, careful application of established and newly formulated antimicrobials can assist in managing disease, enhancing animal health and boosting productivity. Fourthly, educating producers,

veterinarians, and pharmacists regarding the threats of AMR is necessary, and the use of antimicrobials in animals for non-therapeutic purposes should be eliminated, while ensuring adequate prevention and control of livestock diseases. However, appropriate oversight is difficult in most low- and middle-income countries. Reaching an equilibrium, improving disease prevention and controlling, managing current antimicrobials and developing new ones is crucial to reduce AMR and resulting losses (Cooper and Okello, 2021; Paramasivam et al., 2023).

It has been estimated that by 2050, AMR could reduce global gross domestic product (GDP) by up to 4% and global livestock production by up to 7.5% (Jonas et al., 2017). Annual costs linked to AMR and annual loss of productivity worldwide are estimated to be ~ 20 to 35 billion US dollars (Dadgostar, 2019). Risk analysis apart from traditional economic evaluation methods (i.e., cost-benefit, cost-effectiveness, cost-minimization, and cost-utility analyses), can be done to understand impacts of AMR (Opatowski et al., 2021). Risk analysis is beneficial in examining the level of threat to human health associated with AMR derived from agriculture, livestock, and the environment (O'Flaherty et al., 2019). Identifying pathogens causing mastitis and their antimicrobial sensitivity promotes selective use of antimicrobials, reduces spread of contagious pathogens, and informs culling decisions (Hogan et al., 1999). Furthermore, selective dry cow therapy (SDCT) is a viable management option for udder health, milk production, economics, AMU, and AMR, while improving antimicrobial stewardship (McCubbin et al., 2022).

Importance of the One Health Approach to Control Mastitis

1. Global Health Challenges and Emergence of the One Health Approach

Global challenges include eliminating food insecurity, improving global health, and addressing emerging health crises such as AMR. To effectively address the latter, the One Health approach is a critical component of national and global strategies that prioritize the interconnectedness among the three sectors of human, animal, and environmental health (Robinson et al., 2016). Dr. Calvin Schwabe, considered the father of modern epidemiology, used the term "One Medicine," the precursor to "One Health." One Medicine/One Health, an integrative approach to solving complex problems impacting health and conservation, reduces foodborne zoonotic disease and is particularly crucial for developing countries (Schwabe, 1969). Zoonotic diseases are transferred from animals to humans and vice-versa, with detrimental effects on humans, animals, and the ecosystem (Mazet et al., 2009). Hence, the human-animal-environment One Health approach to management of livestock can be vital for successful and

sustainable production of livestock and the ability to improve global food security (O’Ryan et al., 2005).

2. Integrating Biomedical Disciplines to Combat Bovine Mastitis and AMR

The One Health approach enables integration and exchange of ideas among researchers and practitioners trained in various disciplines and would be expected to promote rapid progress in interdisciplinary fields related to bovine mastitis. Moreover, from the One Health outlook, mastitis-causing pathogens have crossed some hierarchical barriers, enabling zoonotic transmission from cattle to humans, complicating disease control (Maity and Ambatipudi, 2021). Although milk and meat can transmit resistant bacteria and AMR genes, these are not the primary pathways of transmission in developed countries, since milk is usually pasteurized and meat is typically cooked before consumption. Instead, environmental transmission, particularly through bacteria and AMR genes excreted in feces and urine that contaminate water sources, likely plays a more important role. Therefore, application of the One Health approach is critical to maintaining the complex relationship among animals, humans, and environmental welfare (Maity and Ambatipudi, 2021).

3. The One Health Framework: Collaborative Strategies for Zoonotic Disease Control and Sustainable Livestock Management

One Health has been determined as “a collaborative, multisectoral, and transdisciplinary approach — working at local, regional, national, and global levels — with the goal of achieving optimal health outcomes recognizing interconnections among people, animals, plants, and their shared environment.” Professionals in various disciplines need to communicate, collaborate, and coordinate activities in the One Health approach at various levels to control mastitis (CDC, 2022). Also, this approach enables establishment of long-term, sustainable, and diagnostic modalities close to the local level, alerting public health authorities and potentially avoiding a global pandemic (Gibbs, 2014; Cavalierie et al., 2021).

Conclusions

Bovine mastitis continues to pose a substantial challenge, with far-reaching consequences for animal welfare, public health, and environmental sustainability, especially due to escalating AMR. The One Health approach, which recognizes the intricate connections among human, animal, and environmental health, provides a crucial framework for tackling these multifaceted issues through coordinated, multidisciplinary efforts. Using cutting-edge diagnostic technologies, promoting judicious AMU, prevention of transmission of resistant bacteria and AMR genes to humans, and implementing sustainable management practices—alongside strengthened surveillance and

comprehensive education—the dairy sector can more effectively manage mastitis while curbing AMR. Ultimately, adopting a One Health perspective is indispensable not only for protecting livestock productivity and safeguarding human health but also for ensuring environmental stewardship and securing global food systems for future generations. Furthermore, it also appears crucial to incorporate AMR and One Health approaches into breeding strategies to achieve optimal mastitis control.

Author Contributions: Conceptualization, F.G., M.N., and H.W.B.; resources, H.W.B., J.P.K. and M.N.; methodology, F.G, V.R., M.S. (Mostafa Sadeghi), M.S. (Masoud Shirali), S.R.M.-A., and H.W.B.; writing—original draft preparation, F.G., M.N. and V.R.; writing—review and editing, M.S. (Mostafa Sadeghi), M.S. (Masoud Shirali), S.R.M.-A., J.P.K., and H.W.B.; funding acquisition, M.S. (Mostafa Sadeghi), M.S. (Masoud Shirali); supervision, M.S. (Mostafa Sadeghi), M.S. (Masoud Shirali), and H.W.B. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: Not applicable.

Acknowledgments: -

Conflicts of Interest: One of the authors, Farzad Ghafouri, serves as the Editor-in-Chief of this journal. This author had no involvement in the peer-review process or the decision regarding this manuscript. The editorial process, including the selection of reviewers and the final decision, was handled independently by the responsible Section Editor. The remaining authors declare that they have no conflicts of interest related to this work.

References

- Aidara-Kane, A., Angulo, F.J., Conly, J.M., Minato, Y., Silbergeld, E.K., McEwen, S.A., Collignon, P.J., WHO Guideline Development Group: Balkhy, H., Collignon, P., Conly, J., Friedman, C., Hollis, A., Kariuki, S., Kwak, H-S., McEwen, S., Moulin, G., Ngandjio A., Rollin, B., Rossi, Flávia., & Wallinga, D. (2018). “World Health Organization (WHO) guidelines on use of medically important antimicrobials in food-producing animals.” *Antimicrobial Resistance & Infection Control*, 7, 1-8.
- Ala’a, B., Momani, S., Hasan, H., Obeidat, A., & Horabi, M. (2025). “Tackling antimicrobial resistance in the food chain under the One Health umbrella: a systems thinking approach with a focus on Jordan.” *Science in One Health*, 100115.

- Alawneh, J. I., Vezina, B., Ramay, H. R., Al-Harbi, H., James, A.S., Soust, M., Moore, R. J. & Olchoway, T. W. (2020). "Survey and sequence characterization of bovine mastitis-associated *Escherichia coli* in dairy herds." *Frontiers in Veterinary Science*, 7, 582297.
- Anholt, M., & Barkema, H. (2021). "What is One Health?" *Canadian Veterinary Journal*, 62(6), 641.
- Brüssow, H., Canchaya, C., & Hardt, W. D. (2004). "Phages and the evolution of bacterial pathogens: from genomic rearrangements to lysogenic conversion." *Microbiology and Molecular Biology Reviews*, 68(3), 560-602.
- Cavalerie, L., Wardeh, M., Lebrasseur, O., Nanyingi, M., McIntyre, K. M., Kaba, M., Asrat, D., Christley, R., Pinchbeck, G., Baylis, M. and Mor, S. M. (2021). "One hundred years of zoonoses research in the Horn of Africa: a scoping review." *PLoS Neglected Tropical Diseases*, 15(7), e0009607.
- CDC. (2022). *One Health basics*. Washington, DC: Centers for Disease Control and Prevention, U.S. Department of Health and Human Services. <https://www.cdc.gov/onehealth/basics/index.html>
- Coast, J., Smith, R. D., & Millar, M. R. (1996). "Superbugs: Should antimicrobial resistance be included as a cost in economic evaluation?." *Health Economics*, 5(3), 217-226.
- Collignon, P. (2012). "The importance of a One Health approach to preventing the development and spread of antibiotic resistance." *One Health: The Human-Animal-Environment Interfaces in Emerging Infectious Diseases: Food Safety and Security, and International and National Plans for Implementation of One Health Activities*, 19-36.
- Cooper, B., & Okello, W. O. (2021). "An economic lens to understanding antimicrobial resistance: Disruptive cases to livestock and wastewater management in Australia." *Australian Journal of Agricultural and Resource Economics*, 65(4), 900-917.
- Dadgostar, P. (2019). "Antimicrobial resistance: implications and costs." *Infection and Drug Resistance*, 12(2019), 3903-3910.
- De Kraker, M. E., Stewardson, A. J., & Harbarth, S. (2016). "Will 10 million people die a year due to antimicrobial resistance by 2050?." *PLoS Medicine*, 13(11), e1002184.
- Dong, L., Meng, L., Liu, H., Wu, H., Schroyen, M., Zheng, N., & Wang, J. (2022). "Effect of cephalosporin treatment on the microbiota and antibiotic resistance genes in feces of dairy cows with clinical mastitis." *Antibiotics*, 11(1), 117.
- Dowling, A., O'Dwyer, J., & Adley, C. (2017). "Antibiotics: mode of action and mechanisms of resistance." *Antimicrobial Research: Novel Bioknowledge and Educational Programs*, 1, 536-545.
- Enshaie, E., Nigam, S., Patel, S., & Rai, V. (2025). "Livestock antibiotics use and antimicrobial resistance." *Antibiotics*, 14(6), 621.
- Gibbs, E. P. J. (2014). "The evolution of One Health: a decade of progress and challenges for the future." *Veterinary Record*, 174(4), 85-91.
- Hogan, J. S., Gonzalez, R. N., Harmon, R. J., Nickerson, S. C., Oliver, S. P., Pankey, J. W., & Smith, K. L. (1999). "Laboratory handbook on bovine mastitis." National Mastitis Council, Madison, WI, 78(7), 485-488.
- Howard, D., Cordell, R., McGowan Jr, J. E., Packard, R. M., R Douglas Scott, I. I., & Solomon, S. L. (2001). "Measuring the economic costs of antimicrobial resistance in hospital settings: summary of the Centers for Disease Control and Prevention-Emory Workshop." *Clinical Infectious Diseases*, 1573-1578.
- Ibrahim, R. A., Cryer, T. L., Lafi, S. Q., Basha, E. A., Good, L., & Tarazi, Y. H. (2019). "Identification of *Escherichia coli* from broiler chickens in Jordan, their antimicrobial resistance, gene characterization and the associated risk factors." *BMC Veterinary Research*, 15, 1-16.
- Jamali, H., Radmehr, B., & Ismail, S. (2014). "Prevalence and antibiotic resistance of *Staphylococcus aureus* isolated from bovine clinical mastitis." *Journal of Dairy Science*, 97(4), 2226-2230.
- Jit, M., Ng, D. H. L., Luangasanatip, N., Sandmann, F., Atkins, K. E., Robotham, J. V., & Pouwels, K. B. (2020). "Quantifying the economic cost of antibiotic resistance and the impact of related interventions: rapid methodological review, conceptual framework and recommendations for future studies." *BMC Medicine*, 18, 1-14.
- Jonas, O. B., Irwin, A., Berthe, F. C. J., Le Gall, F. G., & Marquez, P. V. (2017). Drug-resistant infections: a threat to our economic future. *World Bank Rep*, 2, 1-132.
- Kaier, K., & Frank, U. (2010). "Measuring the externality of antibacterial use from promoting

- antimicrobial resistance.” *Pharmacoeconomics*, 28, 1123-1128.
- Kapoor, G., Saigal, S., & Elongavan, A. (2017). “Action and resistance mechanisms of antibiotics: A guide for clinicians.” *Journal of Anaesthesiology Clinical Pharmacology*, 33(3), 300-305.
- Kassa, T., Wirtu, G., & Tegegne, A. (1999). “Survey of mastitis in dairy herds in the Ethiopian central highlands.” *SINET: Ethiopian Journal of Science*, 22(2), 291-301.
- Keane, O. M. (2016). “Genetic diversity, the virulence gene profile and antimicrobial resistance of clinical mastitis-associated *Escherichia coli*.” *Research in Microbiology*, 167(8), 678-684.
- Maity, S., & Ambatipudi, K. (2021). “Mammary microbial dysbiosis leads to the zoonosis of bovine mastitis: a One-Health perspective.” *FEMS Microbiology Ecology*, 97(1), fiae241.
- Manyi-Loh, C. E., Mamphweli, S. N., Meyer, E. L., Makaka, G., Simon, M., & Okoh, A. I. (2016). “An overview of the control of bacterial pathogens in cattle manure.” *International Journal of Environmental Research and Public Health*, 13(9), 843.
- Mazet, J. A., Clifford, D. L., Coppolillo, P. B., Deolalikar, A. B., Erickson, J. D., & Kazwala, R. R. (2009). “A “One Health” approach to address emerging zoonoses: the HALI project in Tanzania.” *PLoS Medicine*, 6(12), e1000190.
- McCubbin, K. D., de Jong, E., Lam, T. J., Kelton, D. F., Middleton, J. R., McDougall, S., De Vliegheer, S., Godden, S., Rajala-Schultz, P. J., Rowe, S., Speksnijder, D. C., Kastelic, J. P., & Barkema, H. W. (2022). “Invited review: Selective use of antimicrobials in dairy cattle at drying-off.” *Journal of Dairy Science*, 105(9), 7161-7189.
- Nader-Macías, M. E. F., Bogni, C., Sesma, F. J. M., Espeche, M. C., Pellegrino, M., Saavedra, L., & Frola, I. (2011). “Alternative approaches for the prevention of bovine mastitis. Probiotics, bioactive compounds and vaccines.” *Bioactives Compounds; Nova Science Publishing*: New York, NY, USA, 1-34.
- Naserkheil, M., Ghafouri, F., Zakizadeh, S., Pirany, N., Manzari, Z., Ghorbani, S., Banabazi, M. H., Bakhtiarizadeh, M. R., Huq, M. A., Park, M. N., & Barkema, H. W. (2022). “Multi-omics integration and network analysis reveal potential hub genes and genetic mechanisms regulating bovine mastitis.” *Current Issues in Molecular Biology*, 44(1), 309-328.
- Naylor, N. R., Pouwels, K. B., Hope, R., Green, N., Henderson, K. L., Knight, G. M., Atun, R., Robotham, J. V. and Deeny, S. R. (2019). “The health and cost burden of antibiotic resistant and susceptible *Escherichia coli* bacteraemia in the English hospital setting: a national retrospective cohort study.” *PloS One*, 14(9), e0221944.
- Nobrega, D. B., Calarga, A. P., Nascimento, L. C., Vasconcelos, C. G. C., de Lima, E. M., Langoni, H., & Brocchi, M. (2021). “Molecular characterization of antimicrobial resistance in *Klebsiella pneumoniae* isolated from Brazilian dairy herds.” *Journal of Dairy Science*, 104(6), 7210-7224.
- O’Ryan, M., Prado, V., & Pickering, L. K. (2005). “A millennium update on pediatric diarrheal illness in the developing world.” In “Seminars in pediatric infectious diseases.” *WB Saunders*. 16(2), 125-136
- O’Flaherty, E., Solimini, A., Pantanella, F., & Cummins, E. (2019). “The potential human exposure to antibiotic resistant-*Escherichia coli* through recreational water.” *Science of the Total Environment*, 650, 786-795.
- Opatowski, L., Opatowski, M., Vong, S., & Temime, L. (2021). “A one-health quantitative model to assess the risk of antibiotic resistance acquisition in Asian populations: Impact of exposure through food, water, livestock and humans.” *Risk Analysis*, 41(8), 1427-1446.
- Paramasivam, R., Gopal, D.R., Dhandapani, R., Subbarayalu, R., Elangovan, M.P., Prabhu, B., Veerappan, V., Nandheeswaran, A., Paramasivam, S., & Muthupandian, S. (2023). “Is AMR in dairy products a threat to human health? An updated review on the origin, prevention, treatment, and economic impacts of subclinical mastitis.” *Infection and Drug Resistance*, 16(2023), 155-178.
- Pires, A. J., Pereira, G., Fangueiro, D., Bexiga, R., & Oliveira, M. (2024). “When the solution becomes the problem: a review on antimicrobial resistance in dairy cattle.” *Future Microbiology*, 19(10), 903-929.
- Prestinaci, F., Pezzotti, P., & Pantosti, A. (2015). “Antimicrobial resistance: a global multifaceted phenomenon.” *Pathogens and Global Health*, 109(7), 309-318.
- Reynolds, C. A., Finkelstein, J. A., Ray, G. T., Moore, M. R., & Huang, S. S. (2014). “Attributable healthcare utilization and cost of pneumoniae due to drug-resistant *Streptococcus pneumoniae*: a

- cost analysis." *Antimicrobial Resistance and Infection Control*, 3, 1-8.
- Robinson, T. P., Bu, D. P., Carrique-Mas, J., Fèvre, E. M., Gilbert, M., Grace, D., Hay, S. I., Jiwakanon, J., Kakkar, M., Kariuki, S. and Laxminarayan, R. (2016). "Antibiotic resistance is the quintessential One Health issue." *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 110(7), 377-380.
- Salam, M. A., Al-Amin, M. Y., Salam, M. T., Pawar, J. S., Akhter, N., Rabaan, A. A., & Alqumber, M. A. (2023). Antimicrobial resistance: a growing serious threat for global public health. *In Healthcare*, 11(13), 1946.
- Schwabe, C.W. (1969). "Veterinary medicine and human health." *Veterinary Medicine and Human Health*. (2nd Edition).
- Shamila-Syuhada, A. K., Rusul, G., & Wan-Nadiah, W. A. (2016). "Prevalence and antibiotics resistance of *Staphylococcus aureus* isolates isolated from raw milk obtained from small-scale dairy farms in Penang, Malaysia." *Pakistan Veterinary Journal*, 36(1), 98-102.
- Smith, R. D., Yago, M., Millar, M., & Coast, J. (2006). "A macroeconomic approach to evaluating policies to contain antimicrobial resistance: a case study of methicillin-resistant *Staphylococcus aureus* (MRSA)." *Applied Health Economics and Health Policy*, 5, 55-65.
- Solomon, S. L., & Oliver, K. B. (2014). "Antibiotic resistance threats in the United States: stepping back from the brink." *American Family Physician*, 89(12), 938-941.
- Stanek, P., Żółkiewski, P. and Januś, E., (2024). A review on mastitis in dairy cows research: current status and future perspectives. *Agriculture*, 14(8), 1292.
- Stevens, M., Piepers, S., & De Vliegher, S. (2016). "Mastitis prevention and control practices and mastitis treatment strategies associated with the consumption of (critically important) antimicrobials on dairy herds in Flanders, Belgium." *Journal of Dairy Science*, 99(4), 2896-2903.
- Velazquez-Meza, M. E., Galarde-López, M., Carrillo-Quiróz, B., & Alpuche-Aranda, C. M. (2022). "Antimicrobial resistance: One Health approach." *Veterinary World*, 15(3), 743.
- Viridis, S., Scarano, C., Cossu, F., Spanu, V., Spanu, C., & De Santis, E. P. L. (2010). "Antibiotic resistance in *Staphylococcus aureus* and coagulase negative staphylococci isolated from goats with subclinical mastitis." *Veterinary Medicine International*, 2010(1), 517060.
- Werner, T., Käsbohrer, A., Wasner, B., Köberl-Jelovcan, S., Vetter, S.G., Egger-Danner, C., Fuchs, K., Obritzhauser, W. and Firth, C.L. (2023). Antimicrobial resistance and its relationship with antimicrobial use on Austrian dairy farms. *Frontiers in Veterinary Science*, 10, 1225826.
- World Health Organization (2014). "Antimicrobial resistance global report on surveillance: 2014 summary (No. WHO/HSE/PED/AIP/2014.2)." *World Health Organization*.
- World Health Organization. (2020). Milk safety and pasteurization. Available at: https://www.who.int/foodsafety/areas_work/food-hygiene/milk/en/ (Accessed: 22 July 2025).
- Zduńczyk, S., & Janowski, T. (2020). "Bacteriophages and associated endolysins in therapy and prevention of mastitis and metritis in cows: current knowledge." *Animal Reproduction Science*, 218, 106504.

Publisher Note

Animal Science Students Scientific Association, Campus of Agriculture and Natural Resources at the University of Tehran

Submit Your Manuscript:

https://domesticsj.ut.ac.ir/contacts?_action=loginForm